

Publikationen von Mitarbeitenden der PDAG in Fachzeitschriften (peer reviewed)

2023

Baltes-Flueckiger L, Steinauer R, Meyer M, Vogel M, Walter M. Effects of cannabis regulation in Switzerland: Study protocol of a randomized controlled trial. *Front Psychiatry* 2023;14.

Baltes-Flueckiger L, Walter M. Regulierte Cannabisabgabe zu Genusszwecken in der Schweiz: Das Basler Pilotprojekt WEED CARE. *Schweiz Z Für Psychiatr Neurol* 2023;31–4.

Macina C, Kerber A, Zimmermann J, Ohse L, Kampe L, Mohr J, et al. Evaluating the Psychometric Properties of the German Self and Interpersonal Functioning Scale (SIFS). *J Pers Assess* 2023;1–13. <https://doi.org/10.1080/00223891.2023.2268199>.

Gloster AT, Haller E, Villanueva J, Block VJ, Benoy C, Meyer AH, Brogli S, Kuhweide V, Karekla M, Bader K, Walter M, Lang U. Psychotherapy for Chronic In- and Outpatients with Common Mental Disorders: The “Choose Change” Effectiveness Trial. *Psychotherapy and Psychosomatic* 2023; 92: 124-132

Gurrea Salas D, Neuenschwander HJ, Schwilk M, Lüddeckens T, Pichler EM, Scherbaum N, Roser P. Psychiatrisch-psychotherapeutische und psychosoziale Bedarfe in der ambulanten Suchthilfe: Implikationen für eine integrierte Suchtbehandlung. *Suchttherapie* 2023; 24(04): 187-196. doi: 10.1055/a-2108-5816 .

Mosandl CF, Baltes-Flueckiger L, Kronschnabel J, Guessoum A, Herrmann O, Meyer M, et al. Depressivität prädiktiv für Cannabiskonsummuster?—Erste Daten der Basler „WeedCare“-Studie zum regulierten Cannabisverkauf zu Genusszwecken. *Suchtmedizin* 2023;1–7.

Müller M, Mészáros EP, Walter M, Baltes-Flueckiger L, Herdener M, Auer R, et al. Cannabis Consumers' View of Regulated Access to Recreational Cannabis: A Multisite Survey in Switzerland. *Eur Addict Res* 2023;29:213–21. <https://doi.org/10.1159/000530194>.

Pichler E-M, Ewers S, Ajdacic-Gross V, Deutschmann M, Exner J, Kawohl W, et al. Athletes are not at greater risk for death by suicide: A review. *Scand J Med Sci Sports* 2023a;33:569–85. <https://doi.org/10.1111/sms.14316>.

Pichler E-M, Ploederl M, Rainer L, Gilhofer TS, Michel J, Van Der Stouwe JG, et al. Alive and kicking: suicide rates and major soccer events in Austria, Germany and Switzerland. *Eur J Public Health* 2023b;33:424–9. <https://doi.org/10.1093/eurpub/ckad042>.

Roser P, Habermeyer B, Scherbaum N, Lay B. Cannabidiol use among patients with substance use disorders. *J Subst Use* 2023;28:982–8. <https://doi.org/10.1080/14659891.2022.2120425>.

Schaub A-C, Vogel M, Lang UE, Kaiser S, Walter M, Herdener M, et al. Transdiagnostic brain correlates of self-reported trait impulsivity: A dimensional structure-symptom investigation. *NeuroImage Clin* 2023;38:103423.

Tschopp A, Meyer M, Sattler I, Walter M, Colledge F. Exercise Addiction and Major Depressive Disorder – Clinical Diagnoses and Longitudinal Course. *Addict Health* 2023;15:144–8. <https://doi.org/10.34172/ahj.2023.1404>.

Villanueva J, Meyer AH, Block VJ, Benoy C, Bader K, Brogli S, et al. How mood is affected by environment and upsetting events: The moderating role of psychological flexibility. *Psychother Res* 2023:1–13. <https://doi.org/10.1080/10503307.2023.2215392>.

Zavorotnyy M, Klatte S, Yang Y, Liu W, Wagner U, Kircher T. The effects of a psychiatric clerkship on stigmatizing attitudes toward mental disorders as held by German medical students. *Front Psychiatry* 2023;14.

2022

Block VJ, Haller E, Villanueva J, Meyer A, Benoy C, Walter M, Lang UE, Gloster AT. Meaningful Relationships in Community and Clinical Samples: Their Importance for Mental Health. *Front Psychol* 2022;13.

Bregenzer A, Krismer C, Wendel S, Roser P, Fux CA. HCV elimination in a Swiss opioid agonist therapy programme - a cohort study. *Swiss Med Wkly* 2022;152:40009. doi: 10.57187/smw.2022.40009.

Colledge F, Buchner U, Schmidt A, Wiesbeck G, Lang U, Pühse U, Gerber M, Walter M. Individuals at Risk of Exercise Addiction Have Higher Scores for Depression, ADHD, and Childhood Trauma. *Front Sports Act Living* 2022;3:403.

Flückiger L, Meyer M, Marc Walter. Studie zum regulierten Cannabisverkauf zu Genusszwecken in Basel. *Suchtmedizin* 2022;5:235–42.

Köck P, Froelich K, Walter M, Lang U, Dürsteler KM. A systematic literature review of clinical trials and therapeutic applications of ibogaine. *J Subst Abuse Treat* 2022a;138:108717.

Köck P, Meyer M, Elsner J, Dürsteler KM, Vogel M, Walter M. Co-occurring mental disorders in transitional aged youth with substance use disorders – a narrative review. *Front Psychiatry* 2022b;13.

Lötscher F, Steinauer R, Lang U, Wiesbeck G, Walter M. Über den Umgang mit Alkohol—eine qualitative Auswertung von 30 Interviews mit alkoholabhängigen Patienten. *Fortschritte Neurol Psychiatr* 2022;90:93–9.

Meyer M, Rist B, Strasser J, Lang UE, Vogel M, Dürsteler KM, Walter M. Exploring why patients in heroin-assisted treatment are getting incarcerated—a qualitative study. *BMC Psychiatry* 2022a;22:1–10.

Meyer M, Strasser J, Köck P, Walter M, Vogel M, Dürsteler KM. Experiences with take-home dosing in heroin-assisted treatment in Switzerland during the COVID-19 pandemic—Is an update of legal restrictions warranted? *Int J Drug Policy* 2022b;101:103548.

Walter M, Pichler E-M. Sucht und Persönlichkeitsstörungen. *Suchttherapie* 2022;23:170–6.

Schaub A-C, Vogel M, Baumgartner S, Lang UE, Borgwardt S, Schmidt A, Walter M. Striatal resting-state connectivity after long-term diacetylmorphine treatment in opioid-dependent patients. *Brain Commun* 2022;4:fcac275.

Spitzer U, Meyer M, Guggisberg E, Mirek K, Walter M, Dürsteler KM. Results of a survey among opioid addiction treatment providers on the importance of physical exercise. *Heroin Addict Relat Clin Probl* 2021:Epub-ahead.

Vogel M, Köck P, Strasser J, Kalbermatten C, Binder H, Dürsteler KM, Walter M, Falcato L, Krausz M, Kormann A. Nasal Opioid Agonist Treatment in Patients with Severe Opioid Dependence: A Case Series. *Eur Addict Res* 2022;28:80–6. doi: 10.1159/000516431.

Wrege JS, Carcone D, Lee ACH, Cane C, Lang UE, Borgwardt S, Walter M, Ruocco AC. Attentional salience and the neural substrates of response inhibition in borderline personality disorder. *Psychol Med* 2021:1–9. doi: 10.1017/S0033291721000118.

Zavorotnyy M, Seifritz E, Brühl A, Kawohl W. Behandlungsoptionen bei schwer behandelbarer Depression und Therapieresistenz. *Swiss Arch Neurol Psychiatry Psychother* 2022;173. doi: 10.4414/sanp.2022.03315.

2021

Baumgartner C, Schaub MP, Wenger A, Malischnig D, Augsburg M, Walter M, Berger T, Stark L, Ebert DD, Keough MT, Haug S. CANreduce 2.0 Adherence-Focused Guidance for Internet Self-Help Among Cannabis Users: Three-Arm Randomized Controlled Trial. *J Med Internet Res* 2021;23:e27463. doi: 10.2196/27463.

Busmann M, Meyer AH, Wrege J, Lang UE, Gaab J, Walter M, Euler S. Vulnerable narcissism as beneficial factor for the therapeutic alliance in borderline personality disorder. *Clin Psychol Psychother* 2021;28:1222–9. doi: 10.1002/cpp.2570.

Exner J, Bitar R, Berg X, Pichler EM, Herdener M, Seifritz E, Claussen MC. Use of psychotropic substances among elite athletes - a narrative review. *Swiss Med Wkly* 2021;151:w20412. doi: 10.4414/smw.2021.20412.

Flückiger L, Meyer M, Steinauer R, Walter M. Cannabisregulierung – eine internationale Herausforderung. *Suchtmedizin* 2021;5

Gloster AT, Block VJ, Klotsche J, Villanueva J, Rinner MTB, Benoy C, Walter M, Karekla M, Bader K. Psy-Flex: A contextually sensitive measure of psychological flexibility. *Journal of Contextual Behavioral Science* 2021;22:13–23.

Gloster AT, Meyer AH, Klotsche J, Villanueva J, Block VJ, Benoy C, Rinner MTB, Walter M, Lang UE, Karekla M. The spatiotemporal movement of patients in and out of a psychiatric hospital: an observational GPS study. *BMC Psychiatry* 2021;21:165. doi: 10.1186/s12888-021-03147-9.

Groh A, Jahn K, Walter M, Heck J, Lichtinghagen R, Janke E, Westhoff MLS, Deest M, Frieling H, Bleich S, Kahl KG, Heberlein A. TNF- α Increase in a Cohort of Depressive Patients. *Dis Markers* 2021;2021:8897421. doi: 10.1155/2021/8897421.

Klöppel S, Savaskan E, Annoni J-M, Berruex J-L, Bohli L, Eder M, Hemmeter U, Hirsbrunner T, Leyhe T, Neyenhuys A, Popp J, Rauhen K, Schuster JP, Sulaj V, Vögeli S, Gunten A von, Zavorotnyy M, Zullo L, Roth F, Lötscher C. Empfehlungen für die Diagnostik und Therapie psychotischer Erkrankungen im Alter. *Praxis (Bern 1994)* 2021;110:816–25. doi: 10.1024/1661-8157/a003748.

Köck P, Schmalz AM, Walter M, Strasser J, Dürsteler KM, Vogel M. Herausforderungen der Opioid-Agonisten-Therapie aus der Perspektive der Mitarbeitenden in Behandlungszentren – Ergebnisse einer Online-Umfrage. *Nervenheilkunde* 2021;40:609-614.

Lay B, Roser P, Kawohl W. Inpatient treatment of people with schizophrenia: quantifying clinical change using the Health of the Nation Outcome Scales. *Schizophrenia Bulletin Open* 2021;2:sgab030.

Librizzi D, Cabanel N, Zavorotnyy M, Riehl E, Kircher T, Luster M, Hooshyar Yousefi B. Clinical Relevance of [18F]Florbetaben and [18F]FDG PET/CT Imaging on the Management of Patients with Dementia. *Molecules* 2021;26:1282. doi: 10.3390/molecules26051282.

Lötscher F, Steinauer R, Lang U, Wiesbeck G, Walter M. Über den Umgang mit Alkohol – eine qualitative Auswertung von 30 Interviews mit alkoholabhängigen Patienten. *Fortschritte Der Neurologie-Psychiatrie* 2021.

Macina C, Bendel R, Walter M, Wrege JS. Somatization and Somatic Symptom Disorder and its overlap with dimensionally measured personality pathology: A systematic review. *J Psychosom Res* 2021;151:110646. doi: 10.1016/j.jpsychores.2021.110646.

Meyer M, Flückiger L, Steinauer R, Walter M. Cannabiskonsum und Cannabisabhängigkeit – ein Update. *Suchtmedizin* 2021;5

Meyer M, Mücke AK, Strasser J, Walter M, Vogel M. Nasale Applikationsform in der opioidgestützten Behandlung. *Suchtmedizin* 2021;4:219-224

Meyer M, Sattler I, Schilling H, Lang UE, Schmidt A, Colledge F, Walter M. Mental Disorders in Individuals With Exercise Addiction-A Cross-Sectional Study. *Front Psychiatry* 2021;12:751550. doi: 10.3389/fpsy.2021.751550.

Meyer M, Walter M, Borgwardt S, Scheidegger A, Lang E, Köck P. Case Report: CBD Cigarettes for Harm Reduction and Adjunctive Therapy in a Patient With Schizophrenia and Substance Use Disorder. *Front Psychiatry* 2021;12:712110. doi: 10.3389/fpsy.2021.712110.

Michels L, Riese F, Meyer R, Kälin AM, Leh SE, Unschuld PG, Luechinger R, Hock C, O’Gorman R, Kollias S, Gietl A. EEG-fMRI Signal Coupling Is Modulated in Subjects With Mild Cognitive Impairment and Amyloid Deposition. *Front Aging Neurosci* 2021;13:631172. doi: 10.3389/fnagi.2021.631172.

Murck H, Luerweg B, Hahn J, Braunisch M, Jezova D, Zavorotnyy M, Konrad C, Jansen A, Kircher T. Ventricular volume, white matter alterations and outcome of major depression and their relationship to endocrine parameters - A pilot study. *World J Biol Psychiatry* 2021;22:104–18. doi: 10.1080/15622975.2020.1757754.

Niedermoser DW, Hadjar A, Ankli V, Schweinfurth N, Zueger C, Poespodihardjo R, Petitjean S, Wiesbeck G, Walter M. A Typical Case Report: Internet Gaming Disorder Psychotherapy Treatment in Private Practice. *Int J Environ Res Public Health* 2021;18:2083. doi: 10.3390/ijerph18042083.

Niedermoser DW, Kalak N, Meyer M, Schweinfurth N, Walter M, E Lang U. How a Depressive Medical Doctor Profited in the Long-Term from a New and Short Psychological Group-Treatment against Major Depressive Disorder. *Int J Environ Res Public Health* 2021;18:1925. doi: 10.3390/ijerph18041925.

Niedermoser DW, Petitjean S, Schweinfurth N, Wirz L, Ankli V, Schilling H, Zueger C, Meyer M, Poespodihardjo R, Wiesbeck G. Shopping addiction: A brief review. *Practice Innovations* 2021.

Pichler EM, Stulz N, Wyder L, Heim S, Watzke B, Kawohl W. Long-Term Effects of the Individual Placement and Support Intervention on Employment Status: 6-Year Follow-Up of a Randomized Controlled Trial. *Front Psychiatry* 2021;12:709732. doi: 10.3389/fpsyt.2021.709732.

Schaub AC, Kirschner M, Schweinfurth N, Mählmann L, Kettelhack C, Engeli EE, Doll JPK, Borgwardt S, Lang UE, Kaiser S, Walter M, Herdener M, Wrege J, Schmidt A. Neural mapping of anhedonia across psychiatric diagnoses: A transdiagnostic neuroimaging analysis. *Neuroimage Clin* 2021;32:102825. doi: 10.1016/j.nicl.2021.102825.

Schmidt A, Vogel M, Baumgartner S, Wiesbeck GA, Lang U, Borgwardt S, Walter M. Brain volume changes after long-term injectable opioid treatment: A longitudinal voxel-based morphometry study. *Addict Biol* 2021;26:e12970. doi: 10.1111/adb.12970.

Seiler A, Meyer R, Boettger S. Delirmanagement in der Palliative Care. *Praxis (Bern 1994)* 2021;110:872–8. doi: 10.1024/1661-8157/a003782.

Traynor JM, Wrege JS, Walter M, Ruocco AC. Dimensional personality impairment is associated with disruptions in intrinsic intralimbic functional connectivity. *Psychol Med* 2021:1–11. doi: 10.1017/S0033291721002865.

Treyer V, Meyer RS, Buchmann A, Cramer GAG, Studer S, Saake A, Gruber E, Unschuld PG, Nitsch RM, Hock C, Gietl AF. Physical activity is associated with lower cerebral beta-amyloid and cognitive function benefits from lifetime experience—a study in exceptional aging. *PLoS One* 2021;16:e0247225. doi: 10.1371/journal.pone.0247225.

Wrege JS, Busmann M, Meyer AH, Euler S, Lang UE, Walter M. Impulsiveness in borderline personality disorder predicts the long-term outcome of a psychodynamic treatment programme. *Clin Psychol Psychother* 2021;28:633–41. doi: 10.1002/cpp.2526.

Wrege JS, Ruocco AC, Carcone D, Lang UE, Lee ACH, Walter M. Facial Emotion Perception in Borderline Personality Disorder: Differential Neural Activation to Ambiguous and Threatening Expressions and Links to Impairments in Self and Interpersonal Functioning. *J Affect Disord* 2021;284:126–35. doi: 10.1016/j.jad.2021.01.042.

2020

Aleksandrowicz A, Hagenmuller F, Haker H, Heekeren K, Theodoridou A, Walitza S, Ehlis AC, Fallgatter A, Rössler W, Kawohl W. Frontal brain activity in individuals at risk for schizophrenic psychosis and

bipolar disorder during the emotional Stroop task - an fNIRS study. *Neuroimage Clin.* 2020;26:102232. doi: 10.1016/j.nicl.2020.102232. Epub 2020 Mar 2.

Antonucci LA, Nettis MA, Juckel G, Roser P, Pergola G, Thoma P. Selective recall deficits for heterogeneous associations in detoxified individuals with alcohol use disorder. *Behav Brain Res.* 2020 Jul 15;390:112688. doi: 10.1016/j.bbr.2020.112688. Epub 2020 May 12.

Boettger S, Meyer R, Richter A, Rudiger A, Schubert M, Jenewein J, Nuñez DG. Delirium in the intensive care setting dependent on the Richmond Agitation and Sedation Scale (RASS): Inattention and visuo-spatial impairment as potential screening domains. *Palliat Support Care* 2020;18:148–57. doi: 10.1017/S1478951519000683.

Burrer A, Caravaggio F, Manoliu A, Plitman E, Gütter K, Habermeyer B, Stämpfli P, Abivardi A, Schmidt A, Borgwardt S, Chakravarty M, Lepage M, Dagher A, Graff-Guerrero A, Seifritz E, Kaiser S, Kirschner M. Apathy is not associated with reduced ventral striatal volume in patients with schizophrenia. *Schizophr Res.* 2020 Sep;223:279-288. doi: 10.1016/j.schres.2020.08.018. Epub 2020 Sep 11.

Chamakalayil S, Strasser J, Vogel M, Brand S, Walter M, Dürsteler KM. Methylphenidate for Attention-Deficit and Hyperactivity Disorder in Adult Patients With Substance Use Disorders: Good Clinical Practice. *Front Psychiatry* 2020;11:540837. doi: 10.3389/fpsy.2020.540837.

Colledge F, Cody R, Buchner UG, Schmidt A, Pühse U, Gerber M, Wiesbeck G, Lang UE, Walter M. Excessive Exercise-A Meta-Review. *Front Psychiatry* 2020;11:521572. doi: 10.3389/fpsy.2020.521572.

Colledge F, Sattler I, Schilling H, Gerber M, Pühse U, Walter M. Mental disorders in individuals at risk for exercise addiction - A systematic review. *Addict Behav Rep* 2020;12:100314. doi: 10.1016/j.ab-rep.2020.100314.

Dammann G, Rudaz M, Benecke C, Riemenschneider A, Walter M, Pfaltz MC, Küchenhoff J, Clarkin JF, Gremaud-Heitz DJ. Facial Affective Behavior in Borderline Personality Disorder Indicating Two Different Clusters and Their Influence on Inpatient Treatment Outcome: A Preliminary Study. *Front Psychol* 2020;11:1658. doi: 10.3389/fpsyg.2020.01658.

Frizi R, Lay B, Seifritz E, Kawohl W, Habermeyer B, Roser P. Sociodemographic and Clinical Predictors of the Length of Psychiatric Inpatient Stay of Immigrants in Switzerland. *Front. Psychiatry*, 09 Dec 2020. doi.org/10.3389/fpsy.2020.585798

Gaupp R, Walter M, Bader K, Benoy C, Lang UE. A Two-Day Acceptance and Commitment Therapy (ACT) Workshop Increases Presence and Work Functioning in Healthcare Workers. *Front Psychiatry* 2020;11:861. doi: 10.3389/fpsy.2020.00861.

Groh A, Rhein M, Roy M, Gessner C, Lichtinghagen R, Heberlein A, Hillemacher T, Bleich S, Walter M, Frieling H. Trauma Severity in Early Childhood Correlates with Stress and Satiety Hormone Levels in a Pilot Cohort Receiving Diamorphine Maintenance Treatment. *Eur Addict Res* 2020;26:103–8. doi: 10.1159/000505293.

Heekeren K, Antoniadis S, Habermeyer B, Obermann C, Kirschner M, Seifritz E, Rössler W, Kawohl W. Psychiatric Acute Day Hospital as an Alternative to Inpatient Treatment. *Front Psychiatry*. 2020 May 25;11:471. doi: 10.3389/fpsy.2020.00471.

Kagerer SM, van Bergen JMG, Li X, Quevenco FC, Gietl AF, Studer S, Treyer V, Meyer R, Kaufmann PA, Nitsch RM, van Zijl PCM, Hock C, Unschuld PG. APOE4 moderates effects of cortical iron on synchronized default mode network activity in cognitively healthy old-aged adults. *Alzheimers Dement (Amst)* 2020;12:e12002. doi: 10.1002/dad2.12002.

Kawohl W, Nordt C. COVID-19, unemployment, and suicide. *Lancet Psychiatry*. 2020 May;7(5):389-390. doi: 10.1016/S2215-0366(20)30141-3.

Mucci A, Kawohl W, Maria C, Wooller A. Treating Schizophrenia: Open Conversations and Stronger Relationships Through Psychoeducation and Shared Decision-Making. *Front Psychiatry*. 2020 Aug 13;11:761. doi: 10.3389/fpsyt.2020.00761.

Müller F, Mühlhauser M, Holze F, Lang UE, Walter M, Liechti ME, Borgwardt S. Treatment of a Complex Personality Disorder Using Repeated Doses of LSD-A Case Report on Significant Improvements in the Absence of Acute Drug Effects. *Front Psychiatry* 2020;11:573953. doi: 10.3389/fpsyt.2020.573953.

Murck H, Lehr L, Hahn J, Braunisch MC, Jezova D, Zavorotnyy M. Adjunct Therapy With Glycyrrhiza Glabra Rapidly Improves Outcome in Depression-A Pilot Study to Support 11-Beta-Hydroxysteroid Dehydrogenase Type 2 Inhibition as a New Target. *Front Psychiatry* 2020;11:605949. doi: 10.3389/fpsyt.2020.605949.

Murck H, Luerweg B, Hahn J, Braunisch M, Jezova D, Zavorotnyy M, Konrad C, Jansen A, Kircher T. Ventricular volume, white matter alterations and outcome of major depression and their relationship to endocrine parameters - A pilot study. *World J Biol Psychiatry*. 2020 May 15:1-15. doi: 10.1080/15622975.2020.1757754.

Quevenco FC, van Bergen JMG, Treyer V, Studer ST, Kagerer SM, Meyer R, Gietl AF, Kaufmann PA, Nitsch RM, Hock C, Unschuld PG. Functional Brain Network Connectivity Patterns Associated With Normal Cognition at Old-Age, Local β -amyloid, Tau, and APOE4. *Front Aging Neurosci* 2020;12:46. doi: 10.3389/fnagi.2020.00046.

Ramseyer F, Ebert A, Roser P, Edel MA, Tschacher W, Brüne M. Exploring nonverbal synchrony in borderline personality disorder: A double-blind placebo-controlled study using oxytocin. *Br J Clin Psychol*. 2020 Jun;59(2):186-207. doi: 10.1111/bjc.12240. Epub 2019 Nov 27.

Régio Brambilla C, Veselinović T, Rajkumar R, Mauler J, Orth L, Ruch A, Ramkiran S, Heekeren K, Kawohl W, Wyss C, Kops ER, Scheins J, Tellmann L, Boers F, Neumaier B, Ermert J, Herzog H, Langen KJ, Jon Shah N, Lerche C, Neuner I. mGluR5 receptor availability is associated with lower levels of negative symptoms and better cognition in male patients with chronic schizophrenia. *Hum Brain Mapp*. 2020 Jul;41(10):2762-2781. doi: 10.1002/hbm.24976. Epub 2020 Mar 9.

Schürch S, Fux CA, Dehler S, Conen A, Knuchel J, Friedl A, Eigenmann F, Roser P, Ackle P, Bregenzer A. Management of hepatitis C in opioid agonist therapy patients of the Swiss canton Aargau within and outside the cohort study. *Swiss Med Wkly*. 2020 Aug 6;150:w20317. doi: 10.4414/smw.2020.20317.

Steinauer R, Krückl JS, Moeller J, Vogel M, Wiesbeck GA, Walter M, Lang UE, Huber CG. Opening the Doors of a Substance Use Disorder Ward-Benefits and Challenges From a Consumer Perspective. *Front Psychiatry* 2020;11:580885. doi: 10.3389/fpsyt.2020.580885.

Stulz N, Kawohl W, Jäger M, Mötteli S, Schnyder U, Hepp U. From research to practice: Implementing an experimental home treatment model into routine mental health care. *Eur Psychiatry*. 2020 Oct 13;63(1):e94. doi: 10.1192/j.eurpsy.2020.91.

Treyer V, Gietl AF, Suliman H, Gruber E, Meyer R, Buchmann A, Johayem A, Unschuld PG, Nitsch RM, Buck A, Ametamey SM, Hock C. Reduced uptake of [¹¹C]-ABP688, a PET tracer for metabolic glutamate receptor 5 in hippocampus and amygdala in Alzheimer's dementia. *Brain Behav* 2020;10:e01632. doi: 10.1002/brb3.1632.

Villanueva J, Meyer AH, Rinner MTB, Block VJ, Benoy C, Brogli S, Karekla M, Walter M, Gloster AT. The everyday lives of in- and outpatients when beginning therapy: The importance of values-consistent behavior. *Int J Clin Health Psychol* 2020;20:91–9. doi: 10.1016/j.ijchp.2020.02.002.

Zavorotnyy M, Ehrlich F, Nenadic I. Health-related Internet use and treatment adherence: A transdiagnostic comparison of outpatients with major depressive disorder and schizophrenia. *Psych J*. 2020 Apr;9(2):174-184. doi: 10.1002/pchj.355. Epub 2020 Mar 18.

Zavorotnyy M, Zöllner R, ReKate H, Dietsche P, Bopp M, Sommer J, Meller T, Krug A, Nenadić I. Intermittent theta-burst stimulation moderates interaction between increment of N-Acetyl-Aspartate in anterior cingulate and improvement of unipolar depression. *Brain Stimul*. 2020 Jul-Aug;13(4):943-952. doi: 10.1016/j.brs.2020.03.015. Epub 2020 Mar 27.

Zöllner R, Hübener AF, Dannlowski U, Kircher T, Sommer J, Zavorotnyy M. Theta-Burst Stimulation for Auditory-Verbal Hallucination in Very-Late-Onset Schizophrenia-Like Psychosis-A Functional Magnetic Resonance Imaging Case Study. *Front Psychiatry*. 2020 Apr 20;11:294. doi: 10.3389/fpsy.2020.00294.

Zöllner R, Huber MT, Mangelsdorf C, Konrad C, Zavorotnyy M. Psychiatrische Polypharmazie und Elektrokonvulsionstherapie bei therapieresistenter Depression [Psychiatric polypharmacy and electroconvulsive therapy in treatment-resistant depression]. *Nervenarzt*. 2020 Jul;91(7):624-634. German. doi: 10.1007/s00115-019-00804-z.

2019

Benoy C, Knitter B, Schumann I, Bader K, Walter M, Gloster AT. Treatment sensitivity: Its importance in the measurement of psychological flexibility. *Journal of Contextual Behavioral Science* 2019;13:121–5.

Benoy C, Meyer A, Knitter B, Pinhard K, Walter M, Bader K, Gloster AT. Akzeptanz- und Commitment-Therapie mit therapieresistenten Störungen im stationären Setting. Eine Beobachtungsstudie. *Zeitschrift Für Klinische Psychologie Und Psychotherapie* 2019;48:90–100.

Böckmann V, Lay B, Seifritz E, Kawohl W, Roser P, Habermeyer B. Patient-Level Predictors of Psychiatric Readmission in Substance Use Disorders. *Front Psychiatry*, 26 November 2019. doi: 10.3389/fpsy.2019.00828

Boettger S, Meyer R, Richter A, Fernandez SF, Rudiger A, Schubert M, Jenewein J, Nuñez DG. Screening for delirium with the Intensive Care Delirium Screening Checklist (ICDSC): Symptom profile and utility of individual items in the identification of delirium dependent on the level of sedation. *Palliat Support Care* 2019;17:74–81. doi: 10.1017/S1478951518000202.

Busmann M, Wrege J, Meyer AH, Ritzler F, Schmidlin M, Lang UE, Gaab J, Walter M, Euler S. Alternative Model of Personality Disorders (DSM-5) Predicts Dropout in Inpatient Psychotherapy for Patients With Personality Disorder. *Front Psychol* 2019;10:952. doi: 10.3389/fpsyg.2019.00952.

Colledge F, Buchner UG, Walter M. Gibt es eine "Bewegungssucht"? *Suchtmedizin* 2019;21:7–12.

Geretsegger C, Pichler EM, Gimpl K, Aichhorn W, Stelzig R, Grabher-Stoeffler G, Hiemke C, Zernig G. Non-adherence to psychotropic medication assessed by plasma level in newly admitted psychiatric patients: Prevalence before acute admission. *Psychiatry Clin Neurosci*. 2019 Apr;73(4):175-178. doi: 10.1111/pcn.12809. Epub 2019 Jan 22.

Hagenmuller F, Heekeren K, Roser P, Haker H, Theodoridou A, Walitza S, Rössler W, Kawohl W. Early Somatosensory Processing Over Time in Individuals at Risk to Develop Psychosis. *Front Psychiatry* 2019;10:47. doi: 10.3389/fpsyg.2019.00047.

Kirschner M, Cathomas F, Manoliu A, Habermeyer B, Simon JJ, Seifritz E, Tobler PN, Kaiser S. Shared and dissociable features of apathy and reward system dysfunction in bipolar I disorder and schizophrenia. *Psychol Med*. 2019 Apr 17:1-12. doi: 10.1017/S0033291719000801

Lay B, Kawohl W, Rössler W. Predictors of Compulsory Re-admission to Psychiatric Inpatient Care. *Frontiers in Psychiatry*. 2019 Mar 21;10:120. doi: 10.3389/fpsyg.2019.00120.

Ngo T, Ghio M, Kuchinke L, Roser P, Bellebaum C. Moral decision making under modafinil: a randomized placebo-controlled double-blind crossover fMRI study. *Psychopharmacology (Berl)* 2019; 236: 2747-2759.

Nordt C, Vogel M, Dey M, Moldovanyi A, Beck T, Berthel T, Walter M, Seifritz E, Dürsteler KM, Herdener M. One size does not fit all-evolution of opioid agonist treatments in a naturalistic setting over 23 years. *Addiction* 2019;114:103–11. doi: 10.1111/add.14442.

Núñez DG, Boettger S, Meyer R, Richter A, Schubert M, Meagher D, Jenewein J. Validation and Psychometric Properties of the German Version of the Delirium Motor Subtype Scale (DMSS). *Assessment* 2019;26:1573–81. doi: 10.1177/1073191117744047.

Pichler EM, Kawohl W, Seifritz E, Roser P. Pure delta-9-tetrahydrocannabinol and its combination with cannabidiol in treatment-resistant Tourette syndrome: A case report. *Int J Psychiatry Med*. 2019 Mar;54(2):150-156. doi: 10.1177/0091217418791455. Epub 2018 Jul 30.

Rössler W, Ujeyl M, Kawohl W, Nordt C, Lasalvia A, Haker H, Hengartner MP. Predictors of Employment for People With Mental Illness: Results of a Multicenter Randomized Trial on the Effectiveness of Placement Budgets for Supported Employment. *Front Psychiatry*. 2019 Jul 19;10:518. doi: 10.3389/fpsyg.2019.00518.

Rössler W, Kawohl W, Nordt C, Haker H, Rüschi N, Hengartner MP. 'Placement budgets' for supported employment: impact on employment rates in a multicentre randomised controlled trial. *Br J Psychiatry*. 2019 Jul 1:1-6. doi: 10.1192/bjp.2019.154.

Roser P. Cannabis und Schizophrenie – Risikofaktoren, diagnostische Einordnung und Auswirkungen auf Verlauf und Prognose. *Forens Psychiatr Psychol Kriminol* 2019; 13: 225-232.

Roser P, Pichler EM, Habermeyer B, Kawohl W, Juckel G. Impact of Chronic Cannabis Use on Auditory Mismatch Negativity Generation in Schizophrenia Patients. *Pharmacopsychiatry*. 2019 Mar;52(3):126-133. doi: 10.1055/a-0573-9866. Epub 2018 Mar 5.

Sharma S, Breckons M, Brönnimann Lambelet B, Chung J-W, List T, Lobbezoo F, Nixdorf DR, Oyarzo Jf, Peck C, Tsukiyama Y, Ohrbach R. Challenges in the clinical implementation of a biopsychosocial model for assessment and management of orofacial pain. *Journal of Oral Rehabilitation* 2019. doi.org/10.1111/joor.12871

Stepanow C, Stepanow J, Walter M, Borgwardt S, Lang UE, Huber CG. Narrative Case Notes Have the Potential to Predict Seclusion 3 Days in Advance: A Mixed-Method Analysis. *Front Psychiatry* 2019;10:96. doi: 10.3389/fpsyt.2019.00096.

Stulz N, Wyder L, Maeck L, Hilpert M, Lerzer H, Zander E, Kawohl W, Grosse Holtforth M, Schnyder U, Hepp U. Home treatment for acute mental healthcare: randomised controlled trial. *Br J Psychiatry*. 2019 Mar 13:1-8. doi: 10.1192/bjp.2019.31.

Villanueva J, Meyer AH, Rinner MTB, Firsching VJ, Benoy C, Brogli S, Walter M, Bader K, Gloster AT. "Choose change": design and methods of an acceptance and commitment therapy effectiveness trial for transdiagnostic treatment-resistant patients. *BMC Psychiatry* 2019;19:173. doi: 10.1186/s12888-019-2109-4.

Vogel M, Nikoo M, Nikoo N, Schütz CG, Walter M, Somers J, Krausz M. Association of substance use patterns with psychiatric disorders in homeless persons with psychiatric disorders in Vancouver. *International Journal of Mental Health and Addiction* 2019;17:1200–13.

Vogel M, Nordt C, Bitar R, Boesch L, Walter M, Seifritz E, Dürsteler KM, Herdener M. Cannabis use in Switzerland 2015-2045: A population survey based model. *Int J Drug Policy* 2019;69:55–9. doi: 10.1016/j.drugpo.2019.03.008.

Vogel M, Walter M. Opioid- und Mehrfachabhängigkeit. *PSYCH Up2date* 2019;13:287–303.

Wrege JS, Ruocco AC, Euler S, Preller KH, Busmann M, Meya L, Schmidt A, Lang UE, Borgwardt S, Walter M. Negative affect moderates the effect of social rejection on frontal and anterior cingulate cortex activation in borderline personality disorder. *Cogn Affect Behav Neurosci* 2019;19:1273–85. doi: 10.3758/s13415-019-00716-0.

2018

Ajdacic-Gross V, Bechtiger L, Rodgers S, Müller M, Kawohl W, von Känel R, Mutsch M, Rössler W, Seifritz E, Castelao E, Strippoli MF, Vandeleur C, Preisig M, Howell P. Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. *PLoS One*. 2018 Aug 7;13(8):e0198450. doi: 10.1371/journal.pone.0198450.

Amann M, Haug S, Wenger A, Baumgartner C, Ebert DD, Berger T, Stark L, Walter M, Schaub MP. The Effects of Social Presence on Adherence-Focused Guidance in Problematic Cannabis Users: Protocol for the CANreduce 2.0 Randomized Controlled Trial. *JMIR Res Protoc* 2018;7:e30. doi: 10.2196/resprot.9484.

Boettger S, Nuñez DG, Meyer R, Richter A, Rudiger A, Schubert M, Jenewein J. Screening for delirium with the Intensive Care Delirium Screening Checklist (ICDSC): a re-evaluation of the threshold for delirium. *Swiss Med Wkly* 2018;148:w14597. doi: 10.4414/smw.2018.14597.

Boettger S, Nuñez DG, Meyer R, Richter A, Schubert M, Jenewein J. Subsyndromal delirium in the intensive care setting: Phenomenological characteristics and discrimination of subsyndromal delirium versus no and full-syndromal delirium. *Palliat Support Care* 2018;16:3–13. doi: 10.1017/S1478951517000104.

Brem S, Hunkeler E, Mächler M, Kronschnabel J, Karipidis II, Pleisch G, Brandeis D. Increasing expertise to a novel script modulates the visual N1 ERP in healthy adults. *International Journal of Behavioral Development* 2018;42:333–41. doi: 10.1177/0165025417727871.

Del Guerra A, Ahmad S, Avram M, Belcari N, Berneking A, Biagi L, Bisogni MG, Brandl F, Cabello J, Camarlinghi N, Cerello P, Choi CH, Coli S, Colpo S, Fleury J, Gagliardi V, Giraudo G, Heekeren K, Kawohl W, Kostou T, Lefaucheur JL, Lerche C, Loudos G, Morrocchi M, Muller J, Mustafa M, Neuner I, Papadimitroulas P, Pennazio F, Rajkumar R, Brambilla CR, Rivoire J, Kops ER, Scheins J, Schimpf R, Shah NJ, Sorg C, Sportelli G, Tosetti M, Trincherio R, Wyss C, Ziegler S; TRIMAGE Consortium. TRIMAGE: A dedicated trimodality (PET/MR/EEG) imaging tool for schizophrenia. *Eur Psychiatry*. 2018 Apr;50:7-20. doi: 10.1016/j.eurpsy.2017.11.007. Epub 2018 Feb 1. Erratum in: *Eur Psychiatry*. 2018 Jun;51:104-105.

Euler S, Dammann G, Endtner K, Leihener F, Perroud NA, Reisch T, Schmeck K, Sollberger D, Walter M, Kramer U. Störungsspezifische psychotherapeutische Interventionen als Behandlung der Wahl. *Borderline-Störung: Behandlungsempfehlungen der SGPP*. *Schweizer Archiv Für Neurologie, Psychiatrie Und Psychotherapie* 2018;169:135–43.

Euler S, Stöbi D, Sowislo J, Ritzler F, Huber CG, Lang UE, Wrege J, Walter M. Grandiose and Vulnerable Narcissism in Borderline Personality Disorder. *Psychopathology* 2018;51:110-121.

Euler S, Wrege J, Busmann M, Lindenmeyer HJ, Sollberger D, Lang UE, Gaab J, Walter M. Exclusion-Proneness in Borderline Personality Disorder Inpatients Impairs Alliance in Mentalization-Based Group Therapy. *Front Psychol* 2018;9:824. doi: 10.3389/fpsyg.2018.00824.

Georgescu D, Styp von Rekowski, A. The Swiss mental healthcare system for people with intellectual disabilities. *Advances in Mental Health and Intellectual Disabilities*. 2018;12:135-144.

Habermeyer B, De Gennaro H, Frizi RC, Roser P, Stulz N. Factors Associated with Length of Stay in a Swiss Mental Hospital. *Psychiatr Q*. 2018 Sep;89(3):667-674. doi: 10.1007/s11126-018-9569-4.

Habermeyer B, Wyder L, Roser P, Vogel M. Coercion in substance use disorders: clinical course of compulsory admissions in a Swiss psychiatric hospital. *Swiss Med Wkly*. 2018 Sep 6;148:w14644. doi: smw.2018.14644.

Kirschner M, Hager OM, Muff L, Bischof M, Hartmann-Riemer MN, Kluge A, Habermeyer B, Seifritz E, Tobler PN, Kaiser S. Ventral Striatal Dysfunction and Symptom Expression in Individuals With Schizotypal Personality Traits and Early Psychosis. *Schizophr Bull*. 2018 Jan 13;44(1):147-157. doi: 10.1093/schbul/sbw142.

Kluge A, Kirschner M, Hager OM, Bischof M, Habermeyer B, Seifritz E, Walther S, Kaiser S. Combining actigraphy, ecological momentary assessment and neuroimaging to study apathy in patients with

schizophrenia. *Schizophr Res.* 2018 May;195:176-182. doi: 10.1016/j.schres.2017.09.034. Epub 2017 Oct 11.

Köck P, Walter M. Personality disorder and substance use disorder—An update. *Mental Health & Prevention* 2018;12:82–9.

Kralovec K, Kunrath S, Fartacek C, Pichler EM, Plöderl M. The Gender-Specific Associations Between Religion/Spirituality and Suicide Risk in a Sample of Austrian Psychiatric Inpatients. *Suicide Life Threat Behav.* 2018 Jun;48(3):281-293. doi: 10.1111/sltb.12349. Epub 2017 Mar 31.

Lay B, Kawohl W, Rössler W. Outcomes of a psycho-education and monitoring programme to prevent compulsory admission to psychiatric inpatient care: a randomised controlled trial. *Psychol Med.* 2018 Apr;48(5):849-860. doi: 10.1017/S0033291717002239. Epub 2017 Aug 14.

Lo SB, Gaupp R, Huber C, Schneeberger A, Garic G, Voulgaris A, Walter M, Borgwardt S, Lang UE. Einfluss einer „Offenen-Tür-Politik“ auf die Stationsatmosphäre: Auswirkungen auf die Behandlungsqualität 2018.

Oexle N, Müller M, Kawohl W, Xu Z, Viering S, Wyss C, Vetter S, Rüschi N. Self-stigma as a barrier to recovery: a longitudinal study. *Eur Arch Psychiatry Clin Neurosci.* 2018 Mar;268(2):209-212. doi: 10.1007/s00406-017-0773-2. Epub 2017 Feb 10.

Proescholdt MG, Müller SE, Vogel M, Lang U, Wiesbeck GA, Breit W, Linde A, Walter M, Odenwald M. Early Screening for Posttraumatic Stress Disorder in Inpatient Detoxification and Motivation Treatment: Results and Consequences. *Eur Addict Res* 2018;24:128–36. doi: 10.1159/000490382.

Rössler W, Kawohl W, Nordt C, Haker H, Rüschi N, Hengartner MP. "Placement Budgets" for Supported Employment—Impact on Quality of Life in a Multicenter Randomized Controlled Trial. *Front Psychiatry.* 2018 Sep 26;9:462. doi: 10.3389/fpsy.2018.00462.

Stulz N, Pichler EM, Kawohl W, Hepp U. The gravitational force of mental health services: distance decay effects in a rural Swiss service area. *BMC Health Serv Res.* 2018 Feb 5;18(1):81. doi: 10.1186/s12913-018-2888-1.

Uhl I, Kulik A, Roser P, Theodoridou A, Wyss C, Norra C, Brüne M, Kawohl W, Juckel G. Central serotonergic function in patients with predominantly negative symptoms of schizophrenia. *Schizophr Res.* 2018 Mar;193:443-444. doi: 10.1016/j.schres.2017.05.041. Epub 2017 Jun 20.

van Bergen JMG, Li X, Quevenno FC, Gietl AF, Treyer V, Leh SE, Meyer R, Buck A, Kaufmann PA, Nitsch RM, van Zijl PCM, Hock C, Unschuld PG. Low cortical iron and high entorhinal cortex volume promote cognitive functioning in the oldest-old. *Neurobiol Aging* 2018;64:68–75. doi: 10.1016/j.neurobiolaging.2017.12.014.

van Bergen JMG, Li X, Quevenno FC, Gietl AF, Treyer V, Meyer R, Buck A, Kaufmann PA, Nitsch RM, van Zijl PCM, Hock C, Unschuld PG. Simultaneous quantitative susceptibility mapping and Flutemetamol-PET suggests local correlation of iron and β -amyloid as an indicator of cognitive performance at high age. *Neuroimage* 2018;174:308–16. doi: 10.1016/j.neuroimage.2018.03.021.

Wyder L, Fawcett C, Hepp U, Grosse Holtforth M, Stulz N. [How does Home Treatment Work out in Practice? A Qualitative Study Among Patients, Relatives, and Staff]. *Psychiatr Prax.* 2018 Nov;45(8):405-411. doi: 10.1055/a-0665-6094. Epub 2018 Aug 27.

Wyss C, Tse DHY, Boers F, Shah NJ, Neuner I, Kawohl W. Association between Cortical GABA and Loudness Dependence of Auditory Evoked Potentials (LDAEP) in Humans. *Int J Neuropsychopharmacol*. 2018 Sep 1;21(9):809-813. doi: 10.1093/ijnp/pyy056.

Xu Z, Müller M, Lay B, Oexle N, Drack T, Bleiker M, Lengler S, Blank C, Vetter S, Rössler W, Rüsck N. Involuntary hospitalization, stigma stress and suicidality: a longitudinal study. *Soc Psychiatry Psychiatr Epidemiol*. 2018 Mar;53(3):309-312. doi: 10.1007/s00127-018-1489-y. Epub 2018 Jan 27.

Zander E, Wyder L, Holtforth MG, Schnyder U, Hepp U, Stulz N. Validity of routine clinical diagnoses in acute psychiatric inpatients. *Psychiatry Res*. 2018 Jan;259:482-487. doi: 10.1016/j.psychres.2017.11.004. Epub 2017 Nov 6.

2017

Arnold K, Loos S, Mayer B, Clarke E, Slade M, Fiorillo A, Del Vecchio V, Égerházi A, Ivánka T, Munk-Jørgensen P, Krogsgaard Bording M, Kawohl W, Rössler W, Puschner B; CEDAR Study Group. Helping alliance and unmet needs in routine care of people with severe mental illness across Europe: A prospective longitudinal multicenter study. *J Nerv Ment Dis*. 2017 Apr;205(4):329-333.

Baumgardt J, Moock J, Rössler W, Kawohl W. Kooperation, Berufliche Zufriedenheit und Burnout – Nachhaltigkeit in der psychiatrisch-neurologischen Versorgung am Beispiel niedergelassener Fachärzte in Deutschland. *Psychiatr Prax*. 2017;44(3):154-162.

Bellebaum C, Kuchinke L, Roser P. Modafinil alters decision making based on feedback history - a randomized placebo-controlled double blind study in humans. *J Psychopharmacol*. 2017;31(2):243-249.

Briner D, Jäger M, Kawohl W, Baumgartner-Nietlisbach G. Psychische Krankheit und subjektive Gesundheit bei Wohnungslosen in Zürich. *Psychiatr Prax*. 2017;44(6):339-347.

Cosh S, Zenter N, Ay ES, Loos S, Slade M, De Rosa C, Luciano M, Berecz R, Glaub T, Munk-Jørgensen P, Krogsgaard Bording M, Rössler W, Kawohl W, Puschner B. Clinical decision making and mental health service use among persons with severe mental illness across Europe. *Psychiatr Serv*. 2017 Sep 1;68(9):970-974.

Edel MA, Blackwell B, Schaub M, Emons B, Fox T, Tornau F, Vieten B, Roser P, Haussleiter IS, Juckel G. Antidepressive response of inpatients with major depression to adjuvant occupational therapy: a case-control study. *Ann Gen Psychiatry*. 2017;16:1.

Habermeyer B, Kaiser S, Kawohl W, Seifritz E. [Assessment of incapacity to work and the Mini-ICF-APP]. *Neuropsychiatr*. 2017 Dec;31(4):182-186.

Hepp U, Stulz N. „Home treatment“ für Menschen mit akuten psychischen Erkrankungen. *Nervenarzt*. 2017;88(9):983-8.

Hepp U, Stulz N. Home Treatment: Von der Forschung zur klinischen Umsetzung. *Psychiatr Prax*. 2017;44(7):371-3.

Kawohl W, Wyss C, Roser P, Brüne M, Rössler W, Juckel G. Sozialpsychiatrie und Neurobiologie: Eine längst fällige Annäherung am Beispiel der Schizophrenie. *Nervenarzt*. 2017;88(5):510-519.

Kramer U, Stulz N, Berthoud L, Caspar F, Marquet P, Kolly S, De Roten Y, Despland JN. The shorter the better? A follow-up analysis of 10-session psychiatric treatment including the motive-oriented therapeutic relationship for borderline personality disorder. *Psychother Res.* 2017;27(3):362-70.

Loos S, Clarke E, Jordan H, Puschner B, Fiorillo A, Luciano M, Ivánka T, Magyar E, Krogsgaard-Bording M, Østermark-Sørensen H, Rössler W, Kawohl W, Mayer B, Slade M; CEDAR Study Group. Recovery and decision-making involvement in people with severe mental illness from six countries: a prospective observational study. *BMC Psychiatry.* 2017 Jan 23;17(1):38. doi: 10.1186/s12888-017-1207-4.

Mavrogiorgou P, Enzi B, Klimm AK, Köhler E, Roser P, Norra C, Juckel G. Serotonergic modulation of orbitofrontal activity and its relevance for decision making and impulsivity. *Hum Brain Mapp.* 2017;38(3):1507-1517.

Oexle N, Rüscher N, Viering S, Wyss C, Seifritz E, Xu Z, Kawohl W. Self-stigma and suicidality: a longitudinal study. *Eur Arch Psychiatry Clin Neurosci.* 2017 Jun;267(4):359-361.

Pausch K, Nordt C, Pichler EM, Warnke I, Seifritz E, Kawohl W. [Acute day hospital as a cost-effective alternative to inpatient therapy]. *Neuropsychiatr.* 2017 Jun;31(2):63-69. doi: 10.1007/s40211-017-0221-6. Epub 2017 Mar 6. Erratum in: *Neuropsychiatr.* 2017 Jun;31(2):77.

Pausch K, Nordt C, Pichler EM, Warnke I, Seifritz E, Kawohl W. Erratum zu: Akut-Tagesklinik als kosteneffiziente Alternative zu stationärer Therapie. *Neuropsychiatr.* 2017 Jun;31(2):77. doi: 10.1007/s40211-017-0224-3.

Schmidt T, Roser P, Ze O, Juckel G, Suchan B, Thoma P. Cortical thickness and trait empathy in patients and people at high risk for alcohol use disorders. *Psychopharmacology.* 2017;234(23-24):3521-3533.

Stulz N, Hepp U, Gosoniu DG, Grize L, Muheim F, Weiss MG, Riecher-Rössler A. Patient-identified priorities leading to attempted suicide. *Crisis.* 2017 Aug 10:1-10.

Stutz C, Kawohl W, Platz C, Warnke I, Jäger M. [Who benefits from the night clinic? - Value of a part-time treatment facility]. *Neuropsychiatr.* 2017 Dec;31(4):187-195.

Wiemer A, Mölders C, Fischer S, Kawohl W, Rössler W. Effectiveness of medical rehabilitation on return-to-work depends on the interplay of occupation characteristics and disease. *J Occup Rehabil.* 2017 Mar;27(1):59-69.

Wyss C, Tse DHY, Komter M, Dammers J, Achermann R, Shah NJ, Kawohl W, Neuner J. GABA metabolism and its role in gamma-band oscillatory activity during auditory processing: An MRS and EEG study. *Hum Brain Mapp.* 2017 Aug;38(8):3975-3987.

2016

Ajdacic-Gross V, Aleksandrowicz A, Rodgers S, Müller M, Kawohl W, Rössler W, Castelao E, Vandeleur C, von Känel R, Mutsch M, Lieb R, Preisig M. Social phobia is associated with delayed onset of chickenpox, measles, and mumps infections. *Front Psychiatry.* 2016 Dec 27;7:203. doi: 10.3389/fpsy.2016.00203.

Ajdacic-Gross V, Aleksandrowicz A, Rodgers S, Mutsch M, Tesic A, Müller M, Kawohl W, Rössler W, Seifritz E, Castelao E, Strippoli MF, Vandeleur C, von Känel R, Paolicelli R, Landolt MA, Witthauer C, Lieb R, Preisig M. Infectious, atopic and inflammatory diseases, childhood adversities and familial aggregation are independently associated with the risk for mental disorders: results from a large Swiss epidemiological study. *World J Psychiatry*. 2016 Dec 22;6(4):419-430.

Ajdacic-Gross V, Rodgers S, Müller M, Hengartner MP, Aleksandrowicz A, Kawohl W, Heekeren K, Rössler W, Angst J, Castelao E, Vandeleur C, Preisig M. Pure animal phobia is more specific than other specific phobias: epidemiological evidence from the Zurich Study, the ZInEP and the PsyCoLaus. *Eur Arch Psychiatry Clin Neurosci*. 2016 Sep;266(6):567-77.

Bär Deucher A, Hengartner MP, Kawohl W, Konrad J, Puschner B, Clarke E, Slade M, Del Vecchio V, Sampogna G, Égerházi A, Süveges Á, Krogsgaard Bording M, Munk-Jørgensen P, Rössler W; CEDAR study group. Participation in medical decision-making across Europe: An international longitudinal multicenter study. *Eur Psychiatry*. 2016 May;35:39-46.

Büchtemann D, Kästner D, Warnke I, Radisch J, Baumgardt J, Giersberg S, Kleine-Budde K, Moock J, Kawohl W, Rössler W. Hospital utilization outcome of an assertive outreach model for schizophrenic patients - results of a quasi-experimental study. *Psychiatry Res*. 2016 Jul 30;241:249-55.

Döring C, Müller M, Hagenmüller F, Ajdacic-Gross V, Haker H, Kawohl W, Rössler W, Heekeren K. Mismatch negativity: alterations in adults from the general population who report subclinical psychotic symptoms. *Eur Psychiatry*. 2016 Apr;34:9-16.

Drack T, Bleiker M, Lengler S, Blank C, Rössler W, Lay B. Krisenkarten zur Prävention von Zwangseinweisungen: Krisenwarnzeichen, Behandlungswünsche und Bewältigungsstrategien aus Patientensicht. *Psychiatr Prax*. 2016;43(05):253-259.

Eisenring R, Kuhn C, Rusterholz Fend S, Unger-Koppel J, Stulz N. Kinder- und jugendpsychiatrische Versorgung: Akzeptanz eines neuen ambulanten Versorgungsmodells. *Psychiatr Prax*. 2016;43(3):141-6.

Fountoulakis KN, Chatzikosta I, Pasiadis K, Zanis P, Kawohl W, Kerkhof AJ, Navickas A, Höschl C, Lecic-Tosevski D, Sorel E, Rancans E, Palova E, Juckel G, Isacson G, Jagodic HK, Botezat-Antonescu I, Rybakowski J, Azorin JM, Cookson J, Waddington J, Pregelj P, Demyttenaere K, Hranov LG, Stevovic LI, Pezawas L, Adida M, Figuera ML, Jakovljević M, Vichi M, Perugi G, Andreassen OA, Vukovic O, Mavrogiorgou P, Varnik P, Dome P, Winkler P, Salokangas RK, From T, Danileviciute V, Gonda X, Rihmer Z, Forsman J, Grady A, Hyphantis T, Dieset I, Soendergaard S, Pompili M, Bech P. Relationship of suicide rates with climate and economic variables in Europe during 2000-2012. *Ann Gen Psychiatry*. 2016 Aug 9;15:19. doi: 10.1186/s12991-016-0106-2.

Franke AG, Roser P, Lieb K, Vollmann J, Schildmann J. Cannabis for cognitive enhancement as a new coping strategy? Results from a survey of students at four universities in Germany. *Subst Use Misuse*. 2016;51(14):1856-1862.

Freidl M, Pesola F, Konrad J, Puschner B, Kovacs AI, De Rosa C, Fiorillo A, Krogsgaard Bording M, Kawohl W, Rössler W, Nagy M, Munk-Jørgensen P, Slade M. Effects of clinical decision topic on patients' involvement in and satisfaction with decisions and their subsequent implementation. *Psychiatr Serv*. 2016;67(6):658-63.

Fusar-Poli P, Cappucciati M, Borgwardt S, Woods SW, Addington J, Nelson B, Nieman DH, Stahl DR, Rutigliano G, Riecher-Rössler A, Simon AE, Mizuno M, Lee TY, Kwon JS, Lam MM, Perez J, Keri S,

Amminger P, Metzler S, Kawohl W, Rössler W, Lee J, Labad J, Ziermans T, An SK, Liu CC, Woodberry KA, Braham A, Corcoran C, McGorry P, Yung AR, McGuire PK. Heterogeneity of psychosis risk within individuals at clinical high risk: a meta-analytical stratification. *JAMA Psychiatry*. 2016 Feb;73(2):113-20.

Hagenmuller F, Heekeren K, Meier M, Theodoridou A, Walitza S, Haker H, Rössler W, Kawohl W. The loudness dependence of auditory evoked potentials (LDAEP) in individuals at risk for developing bipolar disorders and schizophrenia. *Clin Neurophysiol*. 2016 Feb;127(2):1342-1350.

Hengartner MP, Kawohl W, Haker H, Rössler W, Ajdacic-Gross V. Big Five personality traits may inform public health policy and preventive medicine: evidence from a cross-sectional and a prospective longitudinal epidemiologic study in a Swiss community. *J Psychosom Res*. 2016 May;84:44-51.

Holper LK, Aleksandrowicz A, Müller M, Ajdacic-Gross V, Haker H, Fallgatter AJ, Hagenmuller F, Kawohl W, Rössler W. Distribution of response time, cortical, and cardiac correlates during emotional interference in persons with subclinical psychotic symptoms. *Front Behav Neurosci*. 2016 Sep 8;10:172. doi: 10.3389/fnbeh.2016.00172.

Kieber-Ospelt I, Theodoridou A, Hoff P, Kawohl W, Seifritz E, Jaeger M. Quality criteria of involuntary psychiatric admissions - before and after the revision of the civil code in Switzerland. *BMC Psychiatry*. 2016 Aug 12;16:291. doi: 10.1186/s12888-016-0998-z.

Landolt K, Brantschen E, Nordt C, Bärtsch B, Kawohl W, Rössler W. Association of Supported Employment with cognitive functioning and employment outcomes. *Psychiatr Serv*. 2016 Nov 1;67(11):1257-1261.

Lutz W, Schiefele AK, Wucherpfennig F, Rubel J, Stulz N. Clinical effectiveness of cognitive behavioral therapy for depression in routine care: a propensity score based comparison between randomized controlled trials and clinical practice. *J Affect Disord*. 2016 Jan 1;189:150-8.

Morina N, Sulaj V, Schnyder U, Klaghofer R, Müller J, Martin-Sölch C, Rufer M. Obsessive-compulsive and posttraumatic stress symptoms among civilian survivors of war. *BMC Psychiatry* 2016;16:115. doi: 10.1186/s12888-016-0822-9.

Puschner B, Becker T, Mayer B, Jordan H, Maj M, Fiorillo A, Égerházi A, Ivánka T, Munk-Jørgensen P, Krogsgaard Bording M, Rössler W, Kawohl W, Slade M; CEDAR study group. Clinical decision making and outcome in the routine care of people with severe mental illness across Europe (CEDAR). *Epidemiol Psychiatr Sci*. 2016 Feb;25(1):69-79.

Schmidt T, Roser P, Juckel G, Brüne M, Suchan B, Thoma P. Social cognition and social problem solving abilities in individuals with alcohol use disorder. *J Clin Exp Neuropsychol*. 2016;38(9):974-990.

Stulz N. Patientenorientierte Psychotherapieforschung. *Praxis*. 2016;105(23):1371-4.

Telle NT, Moock J, Heuchert S, Schulte V, Rössler W, Kawohl W. Job maintenance through Supported Employment PLUS: a randomized controlled trial. *Front Public Health*. 2016 Sep 20;4:194.

Warnke I, Nordt C, Kawohl W, Moock J, Rössler W. Age- and gender-specific mortality risk profiles for depressive outpatients with major chronic medical diseases. *J Affect Disord*. 2016 Mar 15;193:295-304.

2015

Baumgardt J, Moock J, Rössler W, Kawohl W. Aspects of sustainability: cooperation, job satisfaction, and burnout among Swiss psychiatrists. *Front Public Health*. 2015 Feb 11;3:25. doi: 10.3389/fpubh.2015.00025.

Brüne M, Kolb M, Ebert A, Roser P, Edel MA. Nonverbal communication of patients with borderline personality disorder during clinical interviews: a double-blind placebo-controlled study using intranasal oxytocin. *J Nerv Ment Dis*. 2015;203(2):107-111.

Clarke E, Puschner B, Jordan H, Williams P, Konrad J, Kawohl W, Bär A, Rössler W, Del Vecchio V, Sampogna G, Nagy M, Süveges A, Krogsgaard Bording M, Slade M. Empowerment and satisfaction in a multinational study of routine clinical practice. *Acta Psychiatr Scand*. 2015 May;131(5):369-78.

Enzi B, Lissek S, Edel MA, Tegenthoff M, Nicolas V, Scherbaum N, Juckel G, Roser P. Alterations of monetary reward and punishment processing in chronic cannabis users: an fMRI study. *PLoS One*. 2015;10(3):e0119150.

Hepp U, Borst U. Häusliche Gewalt. *Praxis*. 2015;104:83-8.

Holper L, Aleksandrowicz A, Müller M, Ajdacic-Gross V, Haker H, Fallgatter AJ, Hagenmüller F, Rössler W, Kawohl W. Brain correlates of verbal fluency in subthreshold psychosis assessed by functional near-infrared spectroscopy. *Schizophr Res*. 2015 Oct;168(1-2):23-9.

Jaeger M, Briner D, Kawohl W, Seifritz E, Baumgartner-Nietlisbach G. Psychosocial functioning of individuals with schizophrenia in community housing facilities and the psychiatric hospital in Zurich. *Psychiatry Res*. 2015 Dec 15;230(2):413-8.

Janhsen K, Roser P, Hoffmann K. The problems of long-term treatment with benzodiazepines and related substances. *Dtsch Arztebl Int*. 2015;112(1-2):1-7.

Kästner D, Büchtemann D, Warnke I, Radisch J, Baumgardt J, Giersberg S, Kopke K, Moock J, Kawohl W, Rössler W. Clinical and functional outcome of assertive outreach for patients with schizophrenic disorder: results of a quasi-experimental controlled trial. *Eur Psychiatry*. 2015 Sep;30(6):736-42.

Kawohl W, Moock J, Heuchert S, Rössler W. Job maintenance by Supported Employment: an overview of the "Supported Employment Plus" trial. *Front Public Health*. 2015 May 26;3:140. doi: 10.3389/fpubh.2015.00140.

Konrad J, Loos S, Neumann P, Zentner N, Mayer B, Slade M, Jordan H, De Rosa C, Del Vecchio V, Égerházi A, Nagy M, Bording MK, Sørensen HØ, Kawohl W, Rössler W, Puschner B; CEDAR Study Group. Content and implementation of clinical decisions in the routine care of people with severe mental illness. *J Ment Health*. 2015 Feb;24(1):15-9.

Lay B. The relationship between mental disorder and violence [letter]. *Archives of Clinical Psychiatry* 2015;42(1):31-2.

Lay B, Blank C, Lengler S, Drack T, Bleiker M, Rössler W. Preventing compulsory admission to psychiatric inpatient care using psycho-education and monitoring: feasibility and outcomes after 12 months. *Eur Arch Psychiatry Clin Neurosci*. 2015;265(3):209-17.

Lay B, Drack T, Bleiker M, Lengler S, Blank C, Rössler W. Preventing compulsory admission to psychiatric inpatient care: perceived coercion, empowerment, and self-reported mental health functioning after 12 months of preventive monitoring. *Front Psychiatry*. 2015; 6:161 doi: 10.3389/fpsyt.2015.00161.

Loos S, Arnold K, Slade M, Jordan H, Del Vecchio V, Sampogna G, Süveges Á, Nagy M, Krogsgaard Bording M, Østermark Sørensen H, Rössler W, Kawohl W, Puschner B; CEDAR study group. Courses of helping alliance in the treatment of people with severe mental illness in Europe: a latent class analytic approach. *Soc Psychiatry Psychiatr Epidemiol*. 2015 Mar;50(3):363-70.

Loos S, Arnold K, Slade M, Jordan H, Del Vecchio V, Sampogna G, Süveges Á, Nagy M, Krogsgaard Bording M, Østermark Sørensen H, Rössler W, Kawohl W, Puschner B; CEDAR study group. Erratum to: Courses of helping alliance in the treatment of people with severe mental illness in Europe: a latent class analytic approach. *Soc Psychiatry Psychiatr Epidemiol*. 2015 Apr;50(4):673. doi: 10.1007/s00127-015-1020-7.

Luckhaus C, Lay B, Frommann N, Janssen B, Nitschke J. Three prevention studies ongoing in Germany and Switzerland enrolling psychiatric patients at high risk for violence and compulsory hospitalization: comparing aims, designs and methods. *Aggress Violent Behav*. 2015; 2:1-8.

Nordt C, Warnke I, Seifritz E, Kawohl W. Modelling suicide and unemployment: a longitudinal analysis covering 63 countries, 2000-11. *Lancet Psychiatry*. 2015 Mar;2(3):239-45.

Pichler EM, Hattwich G, Grunze H, Muehlbacher M. Safety and tolerability of anticonvulsant medication in bipolar disorder. *Expert Opin Drug Saf*. 2015; 14(11):1703-1724.

Plöderl M, Fartacek C, Kunrath S, Pichler EM, Fartacek R, Datz C, Niederseer D. Nothing like Christmas--suicides during Christmas and other holidays in Austria. *Eur J Public Health*. 2015; 25(3): 410-413.

Rodgers S, Ajdacic-Gross V, Kawohl W, Müller M, Rössler W, Hengartner MP, Castelao E, Vandeleur C, Angst J, Preisig M. Comparing two basic subtypes in OCD across three large community samples: a pure compulsive versus a mixed obsessive-compulsive subtype. *Eur Arch Psychiatry Clin Neurosci*. 2015 Dec;265(8):719-34.

Rössler W, Ajdacic-Gross V, Müller M, Rodgers S, Kawohl W, Haker H, Hengartner MP. Association between processing speed and subclinical psychotic symptoms in the general population: focusing on sex differences. *Schizophr Res*. 2015 Aug;166(1-3):316-21.

Stulz N, Nevely A, Hilpert M, Bielinski D, Spisla C, Maeck L, Hepp U. Referral to inpatient treatment does not necessarily imply a need for inpatient treatment. *Adm Policy Ment Health*. 2015 Jul;42(4):474-83.

Theodoridou A, Hengartner MP, Gairing SK, Jäger M, Ketteler D, Kawohl W, Lauber C, Rössler W. Evaluation of a new person-centered integrated care model in psychiatry. *Psychiatr Q*. 2015 Jun;86(2):153-68.

Viering S, Jäger M, Bärtsch B, Nordt C, Rössler W, Warnke I, Kawohl W. Supported Employment for the reintegration of disability pensioners with mental illnesses: a randomized controlled trial. *Front Public Health*. 2015 Oct 20;3:237. doi: 10.3389/fpubh.2015.00237.

Viering S, Jäger M, Kawohl W. Welche Faktoren beeinflussen den Erfolg von Supported Employment? *Psychiatr Prax.* 2015;42(6):299-308.

Viering S, Jäger M, Nordt C, Bühler F, Bärtsch B, Leimer H, Sommerfeld P, Rössler W, Kawohl W. Does "Individual Placement and Support" satisfy the users' needs? *Front Public Health.* 2015 Jun 16;3:160. doi: 10.3389/fpubh.2015.00160.

2014

Ajdacic-Gross V, Müller M, Rodgers S, Warnke I, Hengartner MP, Landolt K, Hagenmuller F, Meier M, Tse LT, Aleksandrowicz A, Passardi M, Knöpfli D, Schönfelder H, Eisele J, Rüschi N, Haker H, Kawohl W, Rössler W. The ZInEP epidemiology survey: background, design and methods. *Int J Methods Psychiatr Res.* 2014 Dec;23(4):451-68.

Baumgardt J, Radisch J, Touil E, Moock J, Plewig HJ, Kawohl W, Rössler W. Aspekte der Nachhaltigkeit in der ambulanten Versorgung von Menschen mit Demenz. *Psychiatr Prax.* 2014;41(8):424-31.

Brodbeck J, Stulz N, Itten S, Regli D, Znoj H, Caspar F. The structure of psychopathological symptoms and the associations with DSM-diagnoses in treatment seeking individuals. *Compr Psychiatry.* 2014 Apr;55(3):714-26.

Fountoulakis KN, Kawohl W, Theodorakis PN, Kerkhof AJ, Navickas A, Höschl C, Lecic-Tosevski D, Sorel E, Rancans E, Palova E, Juckel G, Isacson G, Jagodic HK, Botezat-Antonescu I, Warnke I, Rybakowski J, Azorin JM, Cookson J, Waddington J, Pregelj P, Demyttenaere K, Hranov LG, Stevovic LI, Pezawas L, Adida M, Figuera ML, Pompili M, Jakovljević M, Vichi M, Perugi G, Andreassen O, Vukovic O, Mavrogiorgou P, Varnik P, Bech P, Dome P, Winkler P, Salokangas RK, From T, Danileviciute V, Gonda X, Rihmer Z, Benhalima JF, Grady A, Leadholm AK, Soendergaard S, Nordt C, Lopez-Ibor J. Relationship of suicide rates to economic variables in Europe: 2000-2011. *Br J Psychiatry.* 2014 Dec;205(6):486-96.

Giacco D, Luciano M, Del Vecchio V, Sampogna G, Slade M, Clarke E, Nagy M, Egerhazi A, Munk-Jørgensen P, Bording MF, Kawohl W, Rössler W, Zentner N, Puschner B, Fiorillo A; CEDAR study group. Desire for information of people with severe mental illness. *Soc Psychiatry Psychiatr Epidemiol.* 2014 Dec;49(12):1883-91.

Hagenmuller F, Heekeren K, Theodoridou A, Walitza S, Haker H, Rössler W, Kawohl W. Early somatosensory processing in individuals at risk for developing psychoses. *Front Behav Neurosci.* 2014 Sep 11;8:308. doi:10.3389/fnbeh.2014.00308.

Herdener M, Humbel T, Esposito F, Habermeyer B, Cattapan-Ludewig K, Seifritz E. Jazz drummers recruit language-specific areas for the processing of rhythmic structure. *Cereb Cortex N Y N 1991.* 2014 Mar;24(3):836-43.

Jäger M, Hierlemann F, Kawohl W, Kaiser S, Seifritz E, Hoff P. [Psychiatric services in sheltered and supported housing]. *Neuropsychiatr.* 2014;28(1):12-8.

Jäger M, Ospelt I, Kawohl W, Theodoridou A, Rössler W, Hoff P. Qualität unfreiwilliger Klinikeinweisungen in der Schweiz. *Praxis.* 2014;103(11):631-9.

Jokisch D, Roser P, Juckel G, Daum I, Bellebaum C. Impairments in learning by monetary rewards and alcohol-associated rewards in detoxified alcoholic patients. *Alcohol Clin Exp Res*. 2014;38(7):1947-1954.

Kleine-Budde K, Touil E, Moock J, Bramesfeld A, Kawohl W, Rössler W. Cost of illness for bipolar disorder: a systematic review of the economic burden. *Bipolar Disord*. 2014 Jun;16(4):337-53.

Landolt K, Wittwer A, Wyss T, Unterassner L, Fach W, Krummenacher P, Brugger P, Haker H, Kawohl W, Schubiger PA, Folkers G, Rössler W. Help-seeking in people with exceptional experiences: results from a general population sample. *Front Public Health*. 2014 May 21;2:51. doi: 10.3389/fpubh.2014.00051.

Metzler S, Theodoridou A, Aleksandrowicz A, Müller M, Obermann C, Kawohl W, Heekeren K. Evaluation of trait adjectives and ego pathology in schizophrenia: an N400 study. *Psychiatry Res*. 2014 Mar 30;215(3):533-9.

Münger D, Ramseier F. Sind wir so, wie es die Patienten von uns erwarten? *Bulletin Psy & Psy*. 2014;4:14.

Neuner I, Arrubla J, Werner CJ, Hitz K, Boers F, Kawohl W, Shah NJ. The default mode network and EEG regional spectral power: a simultaneous fMRI-EEG study. *PLoS One*. 2014 Feb 5;9(2):e88214. doi: 10.1371/journal.pone.0088214.

Neuner I, Kawohl W, Arrubla J, Warbrick T, Hitz K, Wyss C, Boers F, Shah NJ. Cortical response variation with different sound pressure levels: a combined event-related potentials and FMRI study. *PLoS One*. 2014 Oct 3;9(10):e109216. doi: 10.1371/journal.pone.0109216.

Plöderl M, Sellmeier M, Fartacek C, Pichler EM, Fartacek R, Kralovec K. Explaining the suicide risk of sexual minority individuals by contrasting the minority stress model with suicide models. *Arch Sex Behav*. 2014; 43(8):1559-1570.

Rodgers S, Müller M, Kawohl W, Knöpfli D, Rössler W, Castela E, Preisig M, Ajdacic-Gross V. Sex-related and non-sex-related comorbidity subtypes of tic disorders: a latent class approach. *Eur J Neurol*. 2014 May;21(5):700-7, e44-5.

Rüsch N, Abbruzzese E, Hagedorn E, Hartenhauer D, Kaufmann I, Curschellas J, Ventling S, Zuaboni G, Bridler R, Olschewski M, Kawohl W, Rössler W, Kleim B, Corrigan PW. Efficacy of Coming Out Proud to reduce stigma's impact among people with mental illness: pilot randomised controlled trial. *Br J Psychiatry*. 2014;204:391-7.

Rüsch N, Müller M, Lay B, Corrigan PW, Zahn R, Schönenberger T, Bleiker M, Lengler S, Blank C, Rössler W. Emotional reactions to involuntary psychiatric hospitalization and stigma-related stress among people with mental illness. *Eur Arch Psychiatry Clin Neurosci* 2014;264:35-43.

Rüsch N, Nordt C, Kawohl W, Brantschen E, Bärtsch B, Müller M, Corrigan PW, Rössler W. Work-related discrimination and change in self-stigma among people with mental illness during supported employment. *Psychiatr Serv*. 2014 Dec 1;65(12):1496-8.

Sachs J, Habermeyer E, Ebner G. Qualifizierung und Qualitätskontrolle in der forensischen Psychiatrie – die aktuelle Situation in der Schweiz. *Forens Psychiatr Psychol Kriminol*. 2014;8:34-40.

Savaskan E, Bopp-Kistler I, Buerge M, Fischlin R, Georgescu D, Giardini U, Hatzinger M, Hemmeter U, Justiniano I, Kressig RW, Monsch A, Mosimann UP, Mueri R, Munk A, Popp J, Schmid R, Wollmer MA. Empfehlungen zur Diagnostik und Therapie der behavioralen und psychologischen Symptome der Demenz (BPSD). *Praxis*. 2014;103(3):135-48.

Slade M, Jordan H, Clarke E, Williams P, Kaliniecka H, Arnold K, Fiorillo A, Giacco D, Luciano M, Égerházi A, Nagy M, Bording MK, Sørensen HØ, Rössler W, Kawohl W, Puschner B; CEDAR Study Group. The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). *BMC Health Serv Res*. 2014 Jul 28;14:323. doi: 10.1186/1472-6963-14-323.

Stulz N, Kunzler A, Barth J, Hepp U. Aptitude-treatment interaction effects in psychooncological interventions. *Gen Hosp Psychiatry*. 2014 Jan-Feb;36(1):68-73.

Theodoridou A, Heekeren K, Dvorsky D, Metzler S, Francini M, Haker H, Kawohl W, Rüschi N, Walitza S, Rössler W. Early recognition of high risk of bipolar disorder and psychosis: An overview of the ZInEP "Early Recognition" study. *Front Public Health*. 2014 Oct 1;2:166. doi: 10.3389/fpubh.2014.00166.

Voss A, Witt K, Kaschowitz T, Poitz W, Ebert A, Roser P, Bär KJ. Detecting cannabis use on the human skin surface via an electronic nose system. *Sensors (Basel)*. 2014;14(7):13256-13272.

Warnke I, Nordt C, Moock J, Kawohl W, Rössler W. Antidepressants: relationship to the time to psychiatric readmission and probability of being in hospital in depressive patients. *Front Public Health*. 2014 May 8;2:40. doi: 10.3389/fpubh.2014.00040.

Wyss C, Boers F, Kawohl W, Arrubla J, Vahedipour K, Dammers J, Neuner I, Shah NJ. Spatiotemporal properties of auditory intensity processing in multisensory MEG. *Neuroimage*. 2014 Nov 15;102 Pt 2:465-73.

2013

Anderson-Schmidt H, Adler L, Aly C, Angheliescu IG, Bauer M, Baumgärtner J, Becker J, Bianco R, Becker T, Bitter C, Bönsch D, Buckow K, Budde M, Bührig M, Deckert J, Demiroglu SY, Dietrich D, Dümpelmann M, Engelhardt U, Fallgatter AJ, Feldhaus D, Figge C, Folkerts H, Franz M, Gade K, Gaebel W, Grabe HJ, Gruber O, Gullatz V, Gusky L, Heilbronner U, Helbing K, Hegerl U, Heinz A, Hensch T, Hiemke C, Jäger M, Jahn-Brodmann A, Juckel G, Kandulski F, Kaschka WP, Kircher T, Koller M, Konrad C, Kornhuber J, Krause M, Krug A, Lee M, Leweke M, Lieb K, Mammes M, Meyer-Lindenberg A, Mühlbacher M, Müller MJ, Nieratschker V, Nierste B, Ohle J, Pfennig A, Pieper M, Quade M, Reich-Erkelenz D, Reif A, Reitt M, Reininghaus B, Reininghaus EZ, Riemenschneider M, Rienhoff O, Roser P, Rujescu D, Schennach R, Scherk H, Schmauss M, Schneider F, Schosser A, Schott BH, Schwab SG, Schwanke J, Skrowny D, Spitzer C, Stierl S, Stöckel J, Stübner S, Thiel A, Volz HP, von Hagen M, Walter H, Witt SH, Wobrock T, Zielasek J, Zimmermann J, Zitzelsberger A, Maier W, Falkai PG, Rietschel M, Schulze TG. The "DGPPN-Cohort": a national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. *Eur Arch Psychiatry Clin Neurosci*. 2013;263(8):695-701.

Brüne M, Ebert A, Kolb M, Tas C, Edel MA, Roser P. Oxytocin influences avoidant reactions to social threat in adults with borderline personality disorder. *Hum Psychopharmacol*. 2013;28(6):552-561.

Ebert A, Kolb M, Heller J, Edel MA, Roser P, Brüne M. Modulation of interpersonal trust in borderline personality disorder by intranasal oxytocin and childhood trauma. *Soc Neurosci*. 2013;8(4):305-313.

Habermeyer B, Esposito F, Händel N, Lemoine P, Kuhl HC, Klarhöfer M, Mager R, Mokros A, Dittmann V, Seifritz E, Graf M. Response inhibition in pedophilia: an fMRI pilot study. *Neuropsychobiology*. 2013;68(4):228–37.

Habermeyer B, Esposito F, Händel N, Lemoine P, Klarhöfer M, Mager R, Dittmann V, Seifritz E, Graf M. Immediate processing of erotic stimuli in paedophilia and controls: a case control study. *BMC Psychiatry*. 2013;13:88.

Hepp U, Schnyder U, Hepp-Beg S, Friedrich-Perez J, Stulz N, Moergeli H. Return to work following unintentional injury: a prospective follow-up study. *BMJ Open*. 2013 Dec 9;3(12):e003635.

Ostermann K, Juckel G, Roser P. Possible association of severe major depression with acute cessation of long-term excessive triptan use. *J Clin Pharm Ther*. 2013;38(1):77-79.

Stulz N, Hepp U, Gachter C, Martin-Soelch C, Spindler A, Milos G. The severity of ADHD and eating disorder symptoms: a correlational study. *BMC Psychiatry*. 2013 Feb 1;13:44.

Stulz N, Lutz W, Kopta SM, Minami T, Saunders SM. Dose-effect relationship in routine outpatient psychotherapy: does treatment duration matter? *J Couns Psychol*. 2013 Oct;60(4):593-600.

Thoma P, Winter N, Juckel G, Roser P. Mental state decoding and mental state reasoning in recently detoxified alcohol-dependent individuals. *Psychiatry Res*. 2013;205(3):232-240

Wyss C, Hitz K, Hengartner MP, Theodoridou A, Obermann C, Uhl I, Roser P, Grünblatt E, Seifritz E, Juckel G, Kawohl W. The loudness dependence of auditory evoked potentials (LDAEP) as an indicator of serotonergic dysfunction in patients with predominant schizophrenic negative symptoms. *PLoS One*. 2013;8(7):e68650.